

**Stage of Disease at Diagnosis, Cervical Cancer  
By Race, Sex and Year of Diagnosis for 2003-2006**

Stage	Year of Diagnosis		
	2003**		
	Overall	White Females	Black Females
<b>In Situ</b>	*	*	*
<b>Local</b>	51.2%	59.1%	42.1%
<b>Regional</b>	23.2%	24.2%	21.1%
<b>Distant</b>	13.6%	10.6%	17.5%
<b>Unknown</b>	12.0%	6.0%	19.3%
	2004		
<b>In Situ</b>	*	*	*
<b>Local</b>	41.8%	44.8%	37.7%
<b>Regional</b>	39.0%	37.3%	40.6%
<b>Distant</b>	11.3%	11.9%	11.6%
<b>Unknown</b>	7.8%	6.0%	10.1%
	2005		
<b>In Situ</b>	*	*	*
<b>Local</b>	42.6%	42.4%	42.6%
<b>Regional</b>	34.8%	37.6%	31.5%
<b>Distant</b>	12.1%	12.9%	11.1%
<b>Unknown</b>	10.6%	7.1%	14.8%
	2006		
<b>In Situ</b>	*	*	*
<b>Local</b>	39.4%	45.5%	32.0%
<b>Regional</b>	39.4%	35.1%	44.0%
<b>Distant</b>	14.2%	14.3%	14.7%
<b>Unknown</b>	7.1%	5.2%	9.3%
<p>*The Mississippi Cancer Registry does not collect in situ cases for Cervical Cancer</p> <p>** Use caution when comparing 2003 data to other years due to a change in staging systems beginning in 2004</p> <p>Note: Rates may not add to 100% in each column due to rounding.</p>			