

**Stage of Disease at Diagnosis, Prostate Cancer
By Race, Sex and Year of Diagnosis for 2003-2006**

Stage	Year of Diagnosis		
	2003**		
	Overall	White Males	Black Males
In Situ	*	*	*
Local	86.8%	88.6%	83.3%
Regional	7.6%	7.5%	8.2%
Distant	3.3%	2.1%	5.5%
Unknown	2.3%	1.8%	3.0%
	2004		
In Situ	*	*	*
Local	84.1%	85.3%	81.7%
Regional	8.2%	9.2%	6.7%
Distant	3.7%	2.7%	5.6%
Unknown	3.9%	2.8%	6.0%
	2005		
In Situ	*	*	*
Local	81.2%	83.2%	77.2%
Regional	8.7%	9.0%	8.6%
Distant	3.7%	3.1%	4.9%
Unknown	6.4%	4.7%	9.2%
	2006		
In Situ	*	*	*
Local	85.6%	85.9%	84.2%
Regional	8.1%	9.0%	7.1%
Distant	3.3%	2.8%	4.5%
Unknown	3.0%	2.3%	4.2%

* The Mississippi Cancer Registry does not collect in situ cases for Prostate Cancer.

** Use caution when comparing 2003 data to other years due to a change in staging systems beginning in 2004

Note: Rates may not add to 100% in each column due to rounding.